

... WITH SPRADLING
it's covered[®]



SAF-9975
MAGNET

is a proven vinyl protective coating that is engineered to create a tough, effective barrier against germs, abrasion and stains.

Hi-Loft²™ is a specialty knitted textile manufactured with 100% polyester yarns aimed at creating a backing with bulk, strength, and unusual softness. When combined with a vinyl surface, an extremely soft hand quality is achieved without sacrificing product performance. (Adhesion, tear strength, and stretch strength properties are also improved.)



Exzellente Abriebfestigkeit / Resistencia a la abrasión / Resistance a l'abrasion / Abrasion resistant / Resistenza all'abrasione / Doskonała odporność na ścieranie



Wasserabweisend / Impermeabilidad / Imperméabilité / Impermeability / Impermeabilità / Wodoodporny



Lichtechtheit / Durabilidad del color a la luz / Résistance à la lumière / UV resistant / Resistenza raggi solari / Odporny na promieniowanie UV



Kältebruchresistent / Resistencia a bajas temperaturas / Résistance aux basses températures / Low temp. resistant / Resistenza alla rottura da freddo / Odporny na niskie temperatury



Antimikrobiell ausgerüstet / Resistencia a microorganismos / Protection contre des micro-organismes / Mildew resistant / Antimuffa / Odporny na pleśń



Einfache Reinigung / Fácil limpieza / Facilité d'entretien / Easy to clean / Facile da pulire / Łatwy do czyszczenia



Flammhemmend ausgerüstet / Retardancia al fuego / Retardement au feu / Flame retardant / Ritardanza al fuoco / Produkt niepalniowy



Chemikalienbeständig* / Resistencia a químicos* / Résistance aux produits chimiques* / Chemical resistant* / Resistenza chimica* / Odporny na chemikalia*

*Bitte anfragen / Pregunte por asesoría / Sur demande / Upon request / Si prega d'informarsi / na życzenie



SAF-9972
QUARTZ



SAF-9973
AVORIO




SAF-9974
PALLADIUM



SAF-9975
MAGNET

 For Care and Cleaning instructions please visit our website

 No Master samples (not suitable for colour matching and quality control / testing purposes).

Commercially acceptable colour shifts may occur between production runs. As such lot separation is recommended.

All SPRADLING® products and services are offered and sold subject to the SPRADLING® General Terms and Conditions of Sale, available for download under www.spradling.eu. Please follow our manufacturing and maintenance guidelines, also available under www.spradling.eu. In the event of failure to comply with these guidelines, no liability is assumed by the manufacturer and any warranty claim(s) (if applicable) expire.

COATED FABRICS